

Lista de lucrari stiintifice

A. Articole in reviste cu referenti

Chifu, A., Hristea, F., Mothe, J., Popescu, M., Word sense discrimination in information retrieval: A spectral clustering-based approach. Information Processing and Management, Vol. 51, Nr. 2, 2015, p. 16-31.

Preotiuc-Pietro, D., Hristea, F., Unsupervised Word Sense Disambiguation with N-Gram Features. Artificial Intelligence Review, Vol. 41, Nr. 2, 2014, p. 241-260.

Hristea, F., Colhon, M., Feeding Syntactic Versus Semantic Knowledge to a Knowledge-lean Unsupervised Word Sense Disambiguation Algorithm with an Underlying Naïve Bayes Model. Fundamenta Informaticae, Vol. 119, Nr. 1, 2012, p. 61-86.

Popescu, M., Hristea, F., State of the Art Versus Classical Clustering for Unsupervised Word Sense Disambiguation. Artificial Intelligence Review, Vol.35, No.3, 2011, p. 241-264.

Colhon, M., Hristea, F., Syntactic Relations in the Context of Performing Word Sense Disambiguation. Journal of Knowledge, Communications and Computing Technologies, Vol. II, No. 2, 2010, p. 1-9.

Hristea, F., Popescu, M., Dumitrescu, M., Performing Word Sense Disambiguation at the Border Between Unsupervised and Knowledge-Based Techniques. Artificial Intelligence Review, Vol. 30, No. 1-4, 2009, p. 67-86.

Hristea, F., Recent Advances Concerning the Usage of the Naïve Bayes Model in Unsupervised Word Sense Disambiguation. International Review on Computers and Software, Vol. 4, No. 1, 2009, p. 58-67.

Hristea, F., Popescu, M., Adjective Sense Disambiguation at the Border Between Unsupervised and Knowledge-based Techniques. Fundamenta Informaticae, Vol. 91, No. 3-4, 2009, p. 547-562.

Hristea, F., On the Usage of the Naïve Bayes Model in Unsupervised Word Sense Disambiguation. International Review on Computers and Software, Vol.3, no. 6, 2008, p. 572-578.

Hristea, F., Semiautomatic Generation of WordNet Type Synsets and Clusters Using Class Methods. An Overview. Revue Roumaine de Linguistique, VOL. LII, Issues 1-2, 2007, p. 97-133.

Miller, G., Hristea, F., Towards Building a WordNet Noun Ontology. Revue Roumaine de Linguistique, VOL. LI, Issues 3-4, 2006, p. 405-413.

Hristea, F., Popescu, M., On Some Romanian Text Summarization Contributions. Revue Roumaine de Linguistique, VOL. LI, Issues 3-4, 2006, p. 507-509.

Miller, G., Hristea, F., WordNet Nouns: Classes and Instances. Computational Linguistics, Volume 32, Number 1, 2006, p. 1-3.

Hristea, F., On the semiautomatic generation of verb synsets in languages other than English. Annals of the University of Bucharest, ANO LII, 2003, p. 75-86.

Hristea, F., On the semiautomatic generation of WordNet type synsets and clusters. Journal of Universal Computer Science (J.UCS), Vol.8, no.12, 2002, p.1047-1064.

Hristea, F., On the use of MAICE for the detection of outliers in a linear regression model. Mathematical Reports Vol.4 (54), No.2, 2002, p. 177-190.

Hristea, F., On the diagnosis of influential observations in multidimensional linear regression. Mathematical Reports, No.4, 1999, p. 545-550.

Hristea, F., On WG syntactic analysis with special reference to Romanian. Annals of the University of Bucharest, No.1, 1998, p. 59-69.

Hristea, F., Popescu, M., A Word Grammar approach to syntactic analysis with special reference to Romanian. Annals of the University of Bucharest , Special Issue, 1998, pp. 101-113 .

Hristea, F., On multiple response outliers of additive nature in a linear regression model. Revue Roumaine de Mathematiques Pures et Appliquees, No.3-4, 1998, p. 393-405.

Hristea, F., An algorithm for the detection of outliers in the case of the normal distribution. Mathematical Reports, No.5-6, 1997, p. 339-342.

Hristea, F., On single distribution outlying pairs in a linear regression model. Annals of the University of Bucharest, XLVI, 1997, p. 27-34.

Hristea, F., On single carrier outliers in a linear regression model. Foundations of Decision and Computing Sciences, Vol.21, No.3, 1996, pp. 125-136.

Hristea, F., On single additive outliers in the linear regression model. Annals of the University of Bucharest, No.2, 1996, p. 53-64.

Hristea, F., On the masking effect concerning some tests for single upper outliers in the case of an exponential sample. Foundations of Decision and Computing Sciences, Vol. 20, No.1, 1995, p. 37-48.

Dumitrescu, M., Enachescu, D., Hristea, F., On the performances of an outlier test in the case of the exponential distribution. Computational Statistics and Data Analysis, No.17, 1994, p. 119-127.

Domocos, V., Hristea, F., A codification of column-convex polyominoes which generates a regular language. Bulletin of the European Association for Theoretical Computer Science, No.50, 1993, p.197-208.

Enachescu, D., Hristea, F., On the performances of a test for a single upper outlier in an exponential sample. Annals of the University of Bucharest, No.2, 1992, p. 61-69.

Enachescu, D., Hristea, F., Niculescu, R., On stepwise procedures for the rejection of outliers in a normally distributed population. Annals of the University of Bucharest, No.1-2, 1990, p. 14-26.

Articole in volume de lucrari ale conferintelor

Hristea, F., Vata, C., An Algorithm for the Semiautomatic Generation of WordNet Type Synsets with Special Reference to Romanian. In: Proceedings of The Language and Speech Infrastructure for Information Access in the Balkan Countries Workshop, in conjunction with RANLP 2005 ("Recent Advances in Natural Language Processing"), Borovets, Bulgaria, September 21-23, 2005, p. 23-30.

Mihalcea, R., Nastase, V., Chklovski, T., Tatar, D., Tufis, D., Hristea, F., An Evaluation Exercise for Romanian Word Sense Disambiguation. In: Proceedings of SENSEVAL-3, the Third International Workshop on the Evaluation of Systems for the Semantic Analysis of Text, in conjunction with ACL 2004, Barcelona, Spain, July 2004, p. 29-32.

Hristea, F., On a Dependency-based Semantic Space for Unsupervised Noun Sense Disambiguation with an Underlying Naïve Bayes Model. In: Proceedings of the Joint Symposium on Semantic Processing, Trento, Italy, November 2013, p. 90-94.

Butnaru, A., Ionescu, R.T., Hristea, F., Shotgun WSD: An unsupervised algorithm for global word sense disambiguation inspired by DNA sequencing. In: Proceedings of the European

Chapter of the Association for Computational Linguistics (EACL), Valencia, Spain, 3-7 aprilie, 2017, p. 916-926.